


Spiner Carpet



Spesifikasi :

| | |
|---------------|---------------------------------|
| Panjang mesin | 350 cm |
| Silinder Roll | 37 cm x 210 cm |
| Lebar mesin | 120 cm |
| Tinggi mesin | 125 cm |
| Daya listrik | 900 Watt |
| RPM | 1250 Rpm (putaran tabung dalam) |
| Berat mesin | 400 Kg |
| Garansi | 1 Tahun |

Mesin Roll Ironer



- Simple chain drive mechanism with single motor
- Heating roll made of high quality galvanized drum.
- Large contact area of 200 degree to maximum heating exchange
- Variable speed frequency inverter control, users can choose the suitable speed for different textiles.
- Gradual speed increment between rolls to improve ironing quality by stretching effect
- Equipped with finger protection bar
- Simple control with on/off button
- Heating roll and guide shaft drive simultaneously
- Import gas/ LPG burner saves 30% gas/ LPG consumption

Spesifikasi :

| Kapasitas | Dimensi (p x l x t) | Silinder Roll (diameter x panjang) | Daya listrik (watt) | Motor blower & router (hp) | Phase |
|-----------|------------------------|---------------------------------------|------------------------|-------------------------------|-------|
| 5 meter | 380 x 80 x 118 cm | 45 x 320 cm | 1100 | 0.5 dan 1 | 3/1 |
| 2 meter | 280 x 80 x 118 cm | 45 x 220 cm | 1100 | 0.5 dan 1 | 3/1 |

Pengering (Dryer)



- *Standart stainless steel body and drum with large diameter*
- *Radial airflow*
- *Maximal heat transfer*
- *Low energy consumption*
- *Short drying time with time control*
- *Large door opening for easy loading and unloading*
- *Reversing drum*
- *Safe drying of delicate linen*
- *Ideal for dry cleaners*

Spesifikasi :

| Kapasitas | Drum dalam (diameter x panjang) | Casing luar (p x l x t) | Daya listrik (watt) | Motor blower & router (hp) | Phase |
|-----------|------------------------------------|----------------------------|------------------------|-------------------------------|-------|
| 60 kg | 110 x 110 cm | 111 x 122 x 215 cm | 1500 | 1 dan 1.5 | 3/1 |
| 50 kg | 100 x 110 cm | 160 x 112 x 210 cm | 1500 | 1 dan 1.5 | 3/1 |
| 40 kg | 100 x 90 cm | 106 x 920 x 187cm | 750 | 0.5 dan 1 | 3/1 |
| 30 kg | 90 x 90 cm | 96 x 102 x 180 cm | 750 | 0.5 dan 0.5 | 3/1 |
| 20 kg | 80 x 80 cm | 76 x 102 x 180 cm | 600 | 0.5 dan 0.5 | 3/1 |

Washer Capsul



- *Stainless steel 304 drums, protect fabrics from getting rusty. Strong corrosion resistance.*
- *Adopt famous brand motor & parts to ensure stable performance.*
- *Viton seal makes no leakage of both ends of spindle.*
- *Easy installation and maintenance. new generation.*
- *Suitable for washing various fabric and cloth. Ideal choice for laundry, hotel ,troops , jeans or dyeing factory.*

Spesifikasi :

| Kapasitas | Drum dalam (diameter x panjang) | Casing luar (diameter x panjang) | Daya listrik (watt) | Motor (hp) | Phase |
|-----------|------------------------------------|-------------------------------------|------------------------|---------------|-------|
| 60 kg | 105 x110 cm | 105 x122 cm | 2200 | 3 | 3/1 |
| 50 kg | 90 x 90 cm | 100 x112 cm | 1500 | 2 | 3/1 |
| 40 kg | 80 x 90 cm | 90 x102 cm | 1100 | 1.5 | 3/1 |
| 30 kg | 70 x80 cm | 80 x 92 cm | 750 | 1 | 3/1 |

Mesin Extract



- The upper part which loads cloth, adopt centrifugal force ,unique shock-absorber, rotating at high speed and dewatering quickly
- The panel and drum all adopt high standard stainless steel 304 to prevent getting rusty or corrosion, no harm to textile, easy to operate, running smoothly, safe and durable.
- 3-leg suspension structure, good anti-vibration efficiency.
- Widely used in hotel, hospital, laundry and all kinds of factories that have a large demand of extracting.

Spesifikasi :

| Kapasitas | Drum dalam (diameter x tinggi) | Casing luar (diameter x tinggi) | Daya listrik (watt) | Motor (hp) | Phase |
|-----------|-----------------------------------|------------------------------------|------------------------|---------------|-------|
| 40 kg | 60 x 35 cm | 70 x 53 cm | 1500 | 2 | 3/1 |
| 20 kg | 55 x 35 cm | 65 x 53 cm | 1500 | 2 | 3/1 |